

**A METHOD AND SYSTEM FOR SUPPLEMENTING TELEVISION  
PROGRAMMING WITH E-MAILED MAGAZINES**

INVENTOR  
David Gilman

**CROSS REFERENCE TO RELATED APPLICATIONS**

This application claims priority from provisional application 60/262,471, filed January 17, 2001, Attorney Docket No. RQTV-1-1002, and Application Serial No. 60/288,264, filed on May 21, 2001, Attorney Docket No. RQTV-1-1005. It also claims priority from Design Patent Application Serial No. 29/141,633, filed May 9, 2001, Attorney Docket No. RQTV-1-1003, and Design Patent Application Serial No. 29/141,634, filed May 9, 2001, with Attorney Docket No. RQTV-1-1004.

**BACKGROUND OF THE INVENTION**

**I. FIELD OF THE INVENTION**

This invention relates generally to video programming and, more specifically, to interactive television.

**II. BACKGROUND**

Over the last 25 years there has been a consensus in the television industry that consumers would watch more television if they could interact with the programming. This consensus has been expressed in the great investment by leading technology vendors such as Microsoft and Gemstar in the field of interactive television. In spite of the vast investment in this field, the efforts have not been greeted with success.

Consumer patterns have proven that televisions make poor computers and computers make poor televisions. For the average consumer, television viewing is a passive activity. Viewers do not wish to attend to the many intricacies that accompany

PATENT TRADEMARK OFFICE



normal computer operations such as web browsing through the same device by which they watch television.

Unlike the largely passive activity of viewing television, the use of the Internet for activities such as online shopping requires much greater attention. For this activity, the limitations of the television screen resolution and the limited interactivity available through most standard television remote control units has limited the use of a television as a browser. The dichotomy between active browsing and passive auditing of programming content has largely hobbled all of the efforts in this field of interactive television.

The largely ambivalent reaction of consumers to interactive television has not been the only factor that has slowed development in this field. In the development of interactive television there has existed a very high economic threshold for the production of interactive programming. Not only does the content producer have to develop interesting and informative television programming, but onto that programming there must be engrafted, meaningful interaction with the program. For instance, where consumers are allowed to in any way modify the ending of a story or to select from several endings, that selection requires the filming and coordination of each of the several endings. Very quickly the amount of complexity of producing video programming goes up as the square of the number of interactive opportunities presented in the interactive programming. Without identifying a new source of advertising revenue, there exists no way to ameliorate the far greater costs of interactive programming.

These two facts, the great technological expenditures in this field, and the high economic threshold for programming in this field have prevented market penetration with fully interactive television. Nonetheless, the great investment in the field has created technical know-how even where no one is able to capitalize on the existence of this know-how. Technological standards have emerged, such as that of the Advanced Television and Video Enhancement Form, or ATVEF. This standard is based on the hypertext mark-up language, or HTML. While the standard exists, no entity seems ready to exploit that standard. Because of these facts, there exists a need for an invention that recognizes the distinction between the moods of the consumer when acting as a viewer, and when acting as a browser. Further, there exists a need for a form of interactive television that exploits current technologies without imposing upon producers the greater complexity and cost of interactive television. There exists a need to unite the potential of interactivity with the viewing habits of the public.

#### SUMMARY OF THE INVENTION

An interactive television system and method for generating video programming combined with triggers and then, in turn, for viewing that video programming as the triggers present information associated with the triggers. When triggered by the viewer,

the remote control will generate a request using a user interface coupled to at least one of the set top box or the television. The request, being based on a user selection of the presented information associated with the triggers, will retrieve information at the request processing system based on the generated request and will present the retrieved information that is based on the request at a user computer system coupled to the request processing system.

The system allows the viewer to passively view video programming and to request such information as might interest the viewer. The appropriate conduit for receiving the information is the viewer's e-mail platform. The invention will generate and assemble information associated with the program based upon the triggers embedded in the programming.

### BRIEF DESCRIPTION OF THE DRAWINGS

The preferred and alternative embodiments of the present invention are described in detail below with reference to the following drawings.

FIGURE 1 is an overview of the several phases of the system;

FIGURE 2 is a view of the apparatus used at the production phase to link programming content to triggers;

FIGURE 3 shows the graphic user interface on the producer's desktop software product;

FIGURE 4 shows the graphic "bug" *in situ* on the display of an enabled television;

FIGURE 5 shows the resized television picture along with the mask showing the several billboards and the several links and selection boxes;

FIGURE 6 displays a demographic sorting desktop for linking the triggers in a program according the likely demographic features of the viewer;

FIGURE 7 displays the methods of disseminating the enhanced programming to several viewers;

FIGURE 8 displays the mechanism used to respond to requests for e-magazines;

FIGURE 9 displays the sent e-magazine with several of sorts of elements that might be useful;

FIGURE 10 displays the mechanism for assembling an e-magazine with special articles for the intended audience;

FIGURE 11 portrays the process of registering for the service where the registration is used for initiating a demographic file for the user or users;

FIGURE 12 portrays the process of producing enhanced program content for the system; and

FIGURE 13 portrays the process of requesting a e-magazine.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIGURE 1 represents an overview of the inventive method and system. This FIGURE 1 portrays four phases in the method: the pre-production phase, the viewing phase, the mask and e-Zine production phase, and the reviewing phase. These phases are not in strict chronological order. For the viewer in the viewing phase to use the system, masks must already exist and these are produced in the mask and e-Zine production phase.

The pre-production phase begins with a programming source 101. The programming source may be any form of video programming, though most likely it is on a non-volatile medium, such as some form of tape, film, or optical disc such as a CD or DVD. The selection of a viewing source is limited only by the qualifier that it be recorded on a non-volatile source. Even flash memory sticks such as the SanDisk Compact Flash® or the Sony Memory Stick® would serve as such media. Whatever the source 101, it is the object of pre-production to add to that recorded medium appropriate triggers.

The producer of the enhanced programming draws the base program from the programming source 101 in by means of a computer (here the producer's desktop 110) imbeds a series of unique triggers into the programming by ATVEF standard means. Though not limited by the method used, this process is analogous to imbedding closed-captioning in the NTSC or PAL standard signal. Simply put, the producer places additional information that enhances the base video programming on the signal without requiring additional signal capacity. This additional information is expressed in embedded "triggers" used to generate masks available to the viewer.

The producer draws the configuration and content of the triggers from a trigger database 120. These triggers help to either define the mask itself or, as in the preferred embodiment, direct an advanced set-top box 210 to where the masks are found. In the preferred embodiment, the triggers will be uniform resource locators, or URL's. While the preferred embodiment uses URL's, any unique code can be used, such as binary or decimal codes imbedded in the programming, for it is the sole purpose of the codes to evoke from an advanced set top box 210 appropriate masks to match the programming at defined times throughout the viewing.

An example of a non-URL type code that would be workable, though not the preferred embodiment, would be a multi-place binary number that included codes to populate a masked template that would be displayed on the screen. The code itself would be merely a concatenation of discreet billboard and button codes as will be discussed in greater depth when discussing the mask. A mask template might be stored in non-volatile memory in the set-top box 210. These billboards and buttons serve to allow the viewer to interact with his television 220 by means of the advanced set top box 210. They are, in

short, opportunities to make a selection. Where standard codes exist for each billboard and button, the concatenation of those codes is an effective means to carry out the inventive method and implement the inventive system.

The producer uses the production desktop 110 to meaningfully relate that which is portrayed on the screen with a series of masks. For example, should the viewer be watching a documentary movie on the shrines of Kyoto, a view of the Fushimiinari or Fox Shrine might be accompanied by billboards for various travel agencies and buttons requesting information about 1) tourism and travel in the Kyoto area; 2) the history of the Fushimiinari Shrine from 771 A.D. in Kyoto; 3) clothing appropriate for touring the Kyoto area given its climate and culture; and 4) gifts and souvenirs evocative of Kyoto, such as green tea and silk.

One advantage of the imbedding of URL triggers in the programming is that the precise way of filling out a mask is dynamic and not set at the time of pre-production. Returning to our example of a tour of the shrines at Kyoto where the pre-producer imbeds a series of URL's into the programming material and either has or creates at that time a list of descriptions for each and every "attachment point" where a URL has been imbedded, the producer may later place at the URL masks that differ in time. If, for instance, one supplier of green tea discontinues their advertising contract, a producer might substitute a different billboard on the mask stored at the URL, even though he does so months after pre-production and imbedding of the triggers is complete. The use of URL's for triggers, thus, allows the flexibility that concatenated codes or other static means of imbedding enhancements in the programming do not. A similar change is possible in the concatenated code embodiment, however the steps necessary to associate one advertiser with a given code is slightly more involved.

Once the triggers have been imbedded in the programming content, the pre-producer then records the program with imbedded triggers on any suitable non-volatile medium. There is no need for correspondence between the original medium used to read the programming content and that used to record it. The pre-producer may use any medium suitable for later viewing by the viewer.

In the viewing phase a viewer receives, operates, or actuates an advanced set top box or ASTB. The advanced set top box may or may not include many of the functions of a standard cable set top box, however, the advanced set top box adds the interactivity with the system. Indeed, the inventors envision a time where the market for these services are such that television manufacturers incorporate the ASTB circuitry 210 into televisions 220. The ASTB 210 includes the ability to perceive and to read the imbedded triggers in programming regardless of where the circuitry resides.

When connected to a programming source by any conventional broadcast means, the ASTB 210 sends an invitation through an upstream communication ability back to a

clearinghouse. The clearinghouse might be any sort of service provider. A multiple services operator is a corporation broadcasting more than one television network. Clearinghouses would include local cable television providers. An essential element of the set top box is the ability to communicate by some means with the clearinghouse.

5 These means might include upstream transmission through television broadcast means, such as through coaxial cable wave-guides; transmission through hard wired telephone lines; PCS or cell phone communication; or any suitable communications link that will bring a signal back to the clearinghouse.

10 In response to the invitation, the clearinghouse transmits through the advanced set top box 210 to the television 220 enhanced programming as produced at the pre-production phase. The advanced set top box retains the most recent trigger broadcast in a register. The purpose of the register is to share the recent trigger needed to generate a screen for the viewer. Each time a new trigger is broadcast it replaces the trigger that was stored in the register. When the viewer makes a selection indicative of a desire to interact  
15 with the programming, the advanced set top box uses the codes stored as a trigger to generate a selections mask. If the trigger is a code representative of a URL, the advanced set top box retrieves the information stored at the URL by means of any communication channel available to the set top box to so retrieve the information. Like the upstream channel earlier described, any appropriate communications link will serve.

20 Where the triggers are a concatenated code, the advanced set top box draws the meaning of those triggers from the trigger database 120. This is the same database that pre-production used to identify the codes and to imbed them into the programming. From the database, the ASTB 210 draws the current billboards associated with individual code elements of the concatenated code, these it positions into a mask template stored in the  
25 ASTB 210 or alternatively in the trigger database 120. The trigger database 120 contains the contents that will fill the mask. From such information, the ASTB 210 has the necessary information to form the mask on the screen around a compressed view of the video programming.

30 In response to the viewer's request, the advanced set top box 210 has generated a mask. This mask presents the viewer with a number of billboards and buttons to indicate specific selections that represent requests for information. The viewer selects by appropriate means, in the preferred embodiment by means of a remote control device that allows scrolling through the buttons, those buttons representative of the viewer's request for information. When the viewer is satisfied that the selected buttons do represent the  
35 viewer's request, the viewer "transmits" the request by means of a separate selection. In the preferred embodiment, this separate selection is a button on the mask appropriately marked with a legend such as "send" or "submit". Upon transmission, the viewing phase is complete.

Production of mask content to be presented to the viewer must be completed before the viewing phase. The production software constructs the mask by a process that is closely analogous to the production of e-Zines generated based upon the viewer's submitted requests. Both the e-Zine and the mask are based upon templates and are constructed in a similar manner.

At some point between pre-production and viewing, in the preferred embodiment, a producer takes the generated list of "attachment points" discussed above and selects buttons and billboards to associate with each of the attachment points, thereby generating screen masks. In the preferred embodiment, the URL's associated with each distinct "attachment point" are stored in the trigger database 120. After the producer has selected those billboards and buttons that will fill the mask, the producer unites those with a mask template 315 to create a mask. Once the mask is satisfactory to the producer, the producer stores the mask at the URL associated with the attachment point. By this means the producer creates a mask for each attachment point within the video programming, thereby completing the production task. In the concatenated code embodiment the mask template 315 might be stored within the advanced set top box 210 such that all of the unique features of a particular mask are set forth in the concatenated code. By this means, a code and a mask template 315 will create a proper populated mask. In such an embodiment this is accomplished at the time of imbedding triggers.

More complex is the process of creating e-Zines. To respond properly to the viewer's submitted requests, the system must include e-Zine articles associated with each potential request. Thus, if a viewer requests information about travel in Kyoto, there must exist on article database 322 an article that corresponds with that request. In a preferred embodiment there are a plurality of articles corresponding with that request and demographic factors unique to the particular viewer and stored in a registration and profile database 320 will serve to further pinpoint the choices of the viewer.

Thus, for example, when an 18-year-old viewer requests clothing suitable for touring in Kyoto, the viewer receives an article describing clothing from Abercrombie & Fitch where a 45-year-old viewer might receive an article descriptive of clothing from Nordstrom or Eddie Bauer. At length, the producer can select and associate the requests and demographics of the viewer in such a manner as to optimize marketing on the viewers they have. The viewer sees only that which would interest them.

Once the enhancement server 310 draws appropriate articles from the e-Zine article database 322 based upon the received requests from the viewer and the viewer's profile stored in the registration and profile database 320 and places those articles in the e-Zine template 318. Once the template is filled and an appropriate e-Zine results, the enhancement server places the completed e-Zine on the Internet at a unique URL. An alternate embodiment of invention includes the placement of the e-Zine at a PURL.

A PURL is a private uniform resource locator which uniquely identifies an intended recipient of a document, the document or set of documents to be delivered, and (optionally) other parameters specific to the delivery process period. The intended recipient of a document uses the PURL to retrieve the document. The server, upon retrieval of the document, customizes the behavior of the retrieval based upon attributes included in the PURL as well as log information associated with the retrieval in a database. This architecture and usage of PURL's enables secure document delivery and tracking of document receipt. PURL's are temporary, dynamically generated, uniform resource locators. Once the server notices that a specific individual has accessed the specific document, the document can be removed from the server, thereby allowing both privacy and economy of space in the database. The PURL need not be immediately removed but can have a certain latency that may be programmed by the server. The use of PURL's also allows, if desired, the use of passwords before the electronic magazine stored at the PURL can be accessed. The server may also identify the specific recipient accessing the document and check the same against those individuals having the ability to view the document. In short, security is available at this point in the process.

Once the enhancement server 310 places the e-Zine article on the Internet 338 it sends a link to the URL imbedded in an e-mail message to the viewer. The e-Zine is produced almost immediately after the selections are transferred to the enhancement server. To the viewer who makes his request and then turns off the television, the information should be available in his e-mail box in the time that it takes to move across the room to the computer. The beauty of this system is that he doesn't have to turn off the television and move across the room. The e-mails are stored in his e-mail box according to whatever e-mail system the viewer uses. When the viewer chooses to review his mail, the information will be available. As stated in the background section, this lag in time is a very desirable aspect of this invention. Experience has indicated that viewers do not wish to be troubled by the in-depth information that they have requested at the time of viewing, but rather, wish to review that information when their mood changes from that of a viewer to that of a browser. The ability to store e-mail information in one's e-mail box is what differentiates this from most interactive television that immediately demands one's attention, drawing it away from the program at hand. While there are other advantages to this invention, this one is a key distinction.

The viewer at some time after submitting the request, sits at his home computer or office computer 401 and browses his e-mail. There he finds the e-mail from the enhancement server containing the link to the e-Zine. By following that link from the e-mail the viewer downloads the e-Zine for browsing. The articles in the e-Zine are themselves imbedded with additional links that take the viewer to additional sources of information; to stores offering particular products; to services and agencies that can



arrange travel; and any of a myriad of other products, services or information sources that meet the parameters of either the expressed request of the viewer's or those presumed from the viewer's personality profile. In either regard, selected articles assure the optimum dissemination of information to viewers.

5 As can be readily recognized from the foregoing description of the overview of the invention, programming content need not be merely documentary films. Clearly any type of video programming, including advertisements, may carry these imbedded triggers to the advantage of the sponsor. In the contexts of commercial advertising one can readily imagine information that supplements an ad shown on the screen. Take for  
10 example the advertisement of a new model car. Let us assume for example that one of the attributes of the advertised car is that it received a J.D. Powers® rating for quality. In that instance, the triggers within the content would evoke a mask that included a button allowing the request of the J.D. Powers® report that so rated the automobile. The same would be true, perhaps, of crash-worthiness studies or any attribute of the car where  
15 presenting the documentation in the commercial might weigh down the commercial for the general viewer. In such an example it is clearly easy to see that production of one or several masks to associate with attachment points within the commercial is easy and inexpensive, but provides the potential purchaser with in-depth research likely to affirm their nascent decision to purchase the vehicle. The same is true of any product. From  
20 cookies to clothing or services to hard goods, this system and method allow for the footnoting of commercials at no great expense to the producers. The utility of the invention is clear. FIGURE 2 shows the pre-production phase in-depth. As indicated above, both the programming source 101 and the programming recorder 189 simply allow for the reading and recording on non-volatile media. As indicated above, these need not  
25 be the same non-volatile media. Software loaded into the producer's desktop 110 allows the producer to imbed triggers from the trigger database into the video programming. At some juncture, some entity will generate an "attachment point" script for the video programming from the programming source 101. The purpose of the attachment point script is to describe each change of focus within the source video programming.

30 Continuing in the earlier example, in a tour of the shrines of Kyoto when the attention in the program (Toyokuni Jinja) to the gold pavilion (Kinkakuji Temple) the historical note button in the produced mask will represent a distinct request when selected. As the show moves on to the silver pavilion (Ginkakuji Temple) the button changes again in its meaning. The mask associated with the video programming may not  
35 change throughout as might be the case with a situation comedy such as Seinfeld or Friends. On the other hand, as in our example of the Kyoto shrines documentary, the associated mask might change quite frequently throughout the programming. The option remains with the producer or the owner of the content to attach to programming contents

such attachment points and to associate with those attachment points such masks as are likely to induce the greatest viewer satisfaction, or the most successful marketing of the various products of the sponsors. In any regard, the producer finds it easy and therefore economical to attach additional content to the video programming.

5 In the preferred embodiment, URL's are attached at the attachment points in the video programming. Nonetheless, in the alternate embodiment, it is necessary to construct the masks at the time of production. To that end, the producer's desktop requires access to more than just the trigger database 120 but also to a billboard database 135 and a button database 140. These may be maintained at the producer's site,  
10 or the producer may have access to them through a communication link, or as shown in this FIGURE 2 through the Internet 125. In this alternative embodiment the producer draws from the billboard database billboards for the sponsors of the enhanced content. These billboards are icon-like artwork to fill assigned places in the video mask and are associated with the sponsors in a manner to allow the viewer to select the billboard and  
15 receive information available through that sponsor. The billboards may or may not be active; activity is not required to practice the invention. A button database 140 exists to associate buttons with requests for information as indicated above. The producer imbeds codes in the programming with the producer's desktop 110 and thereby populates a mask template that the set top box will generate when it receives the trigger.

20 FIGURE 3 portrays a screen 190 from the producer's desktop software. As the producer views the video programming in the center of the screen 190 the producer will populate masks with drag and drop icons belonging to the sponsors of the enhanced programming. These billboard signs go into slots 191, 192, 193 and 194. Similarly, the software provides article buttons to the producer to populate the article button slots 195,  
25 196, 197, 198 and 199. The software presents a graphic user interface (GUI) allowing the producer to easily drag and drop buttons into place and to fasten the same to attachment points within the programming.

FIGURE 4 displays the television screen 225 generated by the advance set top box 210. The presence of a "bug" 221 in the upper right corner of the screen indicates the  
30 advance set top box's readiness to receive the viewer's request to commence interactive operation. At any time when the bug is present the advance set top box 210 indicates that enhanced programming is present. To initiate operation the viewer indicates his selection on a remote control.

FIGURE 5 portrays the mask generated or retrieved by the advance set top box  
35 210 as a result of the viewer initiation of the interactive process. In FIGURE 5 there are five principal elements portrayed. The interactive "bug" is replaced by the trademark 228. The various buttons populate the mask in the slots set forth at 231. The billboards are present in the 237 position and request buttons for submit or submitting all

of the potential selections exists at 234. As earlier emphasized, one purpose of the invention is to provide a minimum distraction from the passive activity of television viewing. For this reason a slightly reduced screen appears in 240 allowing the viewer to continue to see as the principal element of the screen the video programming. It is the intent of the invention that the whole screen remain visible at a slightly lower resolution than when the mask is not present. Such a configuration removes the possibility of losing the spectacular catch during sporting events or creating the possibility of critical off screen detail. The invention seeks to avoid the effect that occurred when cinemascopic movies were broadcast on conventional television without compressing the image.

FIGURE 6 portrays a second screen in the producer's desktop. This screen allows the producer to associate articles with anticipated requests by the viewer. In response to the selection of any of the buttons located at 231 in FIGURE 5 the producer can select from among a plurality of articles available on a particular topic to select that article that is most likely to appeal to a particular demographic. This screen comprises the associative means for the articles. At 276 the requesting means are listed. Thus the producer can indicate that in response to article button number 4, in this case named "Decks" will be associated at 279 with the article "Alien Workshop" so long as other conditions are true. Those conditions portrayed in boxes 281, 284, 287 and 290 indicate that as long as the viewer lives in Bellevue, Washington (i.e. zip code 98006) is a female with an income of greater than \$50,000 but less than \$100,000 and is less than 18 years of age, they will see "Alien Workshop." In all other instances, the default article is "LibTech" 292, 294 and 297. The number of conditions that might be placed on associating a particular article with a particular button is not limited as is indicated by the scroll bar at 282. If more conditions are necessary the scroll bar will continue downward providing additional fields, operators and values.

FIGURE 7 shows some of the hardware necessary for the preferred embodiment of the system. In FIGURE 7 the sum of several sources for enhanced video programming with imbedded triggers are apparent. Because there is no requirement that the upstream channel be the same as the downstream channel for information coming to the set top box 210, there is no requirement that the received broadcast be "live." Thus, in the inventive system, signals might be received from a radio tower 246, a satellite dish 249, through cable distribution 252, or from recorded media such as tape or DVD 255. When the imbedded triggers are present the advance set top box 210 becomes receptive to filling masks with matter drawn from the enhancement server. At the same time the advance set top box portrays the bug 221 on the screen 220 indicating the presence of enhanced programming. At such time as the user should activate the system the register containing the most recent URL trigger directs the set top box to pull down from the enhancement server the current mask stored at the given URL as a web page. This web page the

advance set top box 210 portrays on the screen 220 and awaits the viewer's selection. When the viewer selects a series of buttons from the portrayed mask 258 that selection is sent back to the server 261. The enhanced server then refers to the trigger or enhancement database 120 to understand the meaning of the selection packet received from the set top box 210.

The figure also portrays the workings of an embodiment where rather than URL's unique codes are imbedded in the programming. When the viewer requests initiation of interactive mode, the most recent code is sent from the register of the set top box 210, the concatenated code is directed at the enhancement server, the server then draws the mask template 130 and the billboard signs associated with that trigger from the billboard sign database 135. Similarly, it draws the buttons associated with that code from the button server 140 and composes a completed mask. This it sends 258 back to the set top box 210 for portrayal on the screen. As is indicated in diagram, both embodiments can work simultaneously on the server. Regardless of which of the two embodiments is employed the mask sent at 258 is a complete HTML document with a section 240 displaying a lower resolution full picture of the current video programming as portrayed in FIGURE 5.

The key to the system is the providing of e-Zines to viewers in response to their selections. These e-Zines are to be tailored to the selections and also to the demographics available with regard to the individual viewers. Viewers have registered on the system and have provided demographic data about themselves which is stored in a registration profile database 065. Producers can select such demographic factors as they find necessary to effectively tie the user to a particular or several purchasing demographics. Once the user has completed the survey relating to this demographic, the user is then allowed to participate in the system. Where a household consists of multiple users, there might be a sign on screen that allows a viewer to designate which of the several users is currently watching, or at least which is requesting the service. Once enrolled and appropriately identified, the viewer watches the television 220 along with the enhanced material provided by the advance set top box 210. As between several television sets, the ASTB 210 will report which ASTB 210 is interacting with which viewer. After the mask has been displayed and the viewer has made their selections and submitted the same by activating either of the buttons at 234, that selection packet is sent to the selection server 338 one of four servers within the collective enhancement server 310. The hardware contained within the enhancement server need not be confined to a single computer, nor is it necessary that it be four computers. In fact, one skilled in the art knows how to distribute and to group the tasks described as assigned to the enhancement server among any number of computers for efficiency and load. The four computers portrayed, the selection server 338; the e-Zine compiler and server 341; the PURL

allocator and server 344; and the e-mail server 347 refer in fact to different functions that are accomplished within the collective enhancement server 310. Thus as the selection packet arrives at the selection server 338, that server 338 reconstructs the selection by reference to the billboard database 135, the trigger or enhancement database 120, and the button database 140. When reconstituted, the request is then sent to the e-Zine compiler where articles are selected from the e-Zine database 335 based upon the demographic of the identified viewer as drawn from the registration and profile database 065. When compiled, the e-Zine compiler requests a URL from the URL allocator and server 344 and stores the e-Zine at that URL on the server. The URL may be dynamic such that each viewer could be served by a single URL. Simultaneously, the e-Zine compiler requests of the e-mail server that an e-mail be sent with the URL indicated by the URL allocator and server 344 to the viewer's e-mail box. Again, where multiple viewers live in a single household, the viewer's log on will indicate to which e-mail box the message is to be sent. The consumer in turn receives the e-mail on the consumer's computer 401 and using the links provided, views the e-Zine and the content therein. In turn, links contained within the e-Zine send the user back to the Internet 125 to browse the websites of various sponsors referred within the e-Zine or information sources contained in bibliographies to articles.

FIGURE 9 shows a composed e-Zine resulting from the process set forth in FIGURE 8. This e-Zine 337 also has an area for billboards 325. Though these billboards are much like those described at 228 in FIGURE 5, they do not necessarily have to be the same billboards. The vagaries of sponsorship agreements may well change the composition of the billboard bar. In any regard, the bar is consistent in look and feel to the bar that was created in the mask 228. There also exists a table of contents 328 that shows the e-Zine to be responsive to the requests set forth in the selection packet as it was delivered to the enhancement server 310. In this instance buttons requesting travel information and offers; music; books; apparel; and food; as well as information related to the selection of one of the bulletin boards, i.e. the Discovery Channel. Additionally, there may be standard features such as links to interest communities or to chat groups related to what was on screen at the "attachment point." Pane 334 is the information requested. That pane will move independently so that both the billboard bar 325 and the table of contents 328 remain visible, as well as branding reminding the viewer of the source of the e-Zine 331. As the user scrolls down they allow opportunities to purchase the products relevant to the "attachment point."

FIGURE 10 yields insight as to the means by which the compiler compiles articles. The selection packet is a series of single selection id's 324. In most instances, as in article selector A, all demographic groups would receive the same article 57 326. In example B of the article selector, an external factor, for instance the season of the year, is

used to select from among a series of articles at 328. As in example A, article 57 326 corresponds with the article selection 324. In still another example, article selector C may indicate a group of articles, in this case article group 3, then the viewer's zip code 332 is considered by the compiler because the producer has associated particular articles with particular zip codes. Thus in this case again article 57 326 is selected by virtue of the sort and association designated by the producer. As shown in FIGURE 6, multiple demographic data can further refine the selection process. Example D of the article selector shows where an article button 324 defines a script, in this case script 3, as applicable. Script 3 in turn along with the viewer's zip code 332 results in a sorting process 334 that winnows the field down to article 57 326.

FIGURE 11 portrays the method used to register for the system. At 035 the viewer initiates an order for service, or enrolls. There are several ways this could be effected: the viewer might call the clearinghouse and as a part of the enrollment the operator might administer a questionnaire over the telephone 040; the viewer may order the service at a website where part of the ordering includes completing the questionnaire on the website; the clearinghouse may send a questionnaire to the viewer in a welcome to the service package; or, any number of other means to discern the demographic factors that define the viewer. When the viewer completes the questionnaire 045 the data is entered on the server. The registrar which may be a human, a software agent, or a systematic method based on the viewer's completed questionnaire builds a profile representative of the viewer's demographic. At 055 the registrar stores the complete demographic profile in the registration database. As described above, that profile is used to determine which articles, goods and services are presented to the viewer through the service. Periodically 060 it will be necessary to update the profile. Many demographics are variable over time, such as the age of the viewer. Other things, such as income, also change. The viewer is probably well motivated to make these changes, thereby allowing the service to provide the viewer with articles that the viewer will find more relevant than the universal default article. One way of allowing such an update is to provide a web page for account maintenance and periodically to send e-mail invitations inviting the update. Such is not the only way, and it is well known within the art to update a demographic profile. Any of the currently practiced means would be applicable.

FIGURE 12 portrays the process of production of enhanced media. As is common with broadcast media, the service must go out and arrange sponsors for the programming 150. These sponsors would offer graphic art that would correspond in size into a standard set by the producer to populate the slots of the billboard. As HTML is the likely standard of the industry, these graphic elements would likely be in a file format compatible with HTML, such as jpegs or gifs. These graphic images would be stored in association with the identity of the particular sponsor in a billboard database. Because of

the association of these sponsors and the supporting graphics, the producer's desktop 110 easily constructs masks and e-Zines containing references to the advertising sponsor. At 153 the producer obtains program content from any suitable source and at 156 reviews the content and develops an attachment script for the program content indicating the current focus of the content from moment to moment. As indicated in the discussion above, this attachment script describes the various attachment points within the video program and is suggestive of the article content appropriately associated with the attachment points. As indicated above, the producer has the choice of keeping the same mask throughout the show or varying the mask from topic to topic as the focus of the video programming changes.

Based upon the attachment scripts, the producer creates unique codes, or "triggers" to identify each attachment point as the producer sees fit. These codes, as indicated above, can be URL's or concatenated numeric codes. In any regard, these codes are imbedded at 162 in the programming according to industry standards to create an enhanced program. In its imbedded state, the video content is then recorded onto a non-volatile medium in order to allow for distribution through a broadcast system. Once the attachment script is formed and the triggers are imbedded in the programming, at 166 the producer develops appropriate masks to correspond with the imbedded triggers. These the producer stores at 169 in a trigger or enhancement database in association with each attachment point in the programming content in each content set. It is important to note that the masks stored in association with each trigger may be varied from time to time. For instance, where the content might be a movie such as Tora Tora Tora, the attachment points in the movie might remain constant, but the masks associated with that movie might vary from showing to showing. If a network chooses to show the movie in July, where one set of sponsors might include United States Navy Recruiting, a showing in December might include historic tours of Hawaii in the billboard slot formerly occupied by the United States Navy. Though the triggers remain constant in both showings, the content stored in association with those triggers, or in the case of the preferred embodiment, at the URL's as masks, would vary from showing to showing. This fact proves the inherent flexibility of the inventive method. Once all of the masks are composed, at 172, the attachment script is sent or stored in a fashion to give access at the time of e-Zine production. Thus at 175, the script is available to the e-Zine content producer along with the trigger codes at 178. Thus the e-Zine producer develops magazine content based upon the known focus of the video programming at the attachment point and associated with each button or billboard in the associated mask, including variations or additions associated with each demographic group tracked in the registration process 181. At 184 the e-Zine producer stores these articles in a manner consistent with the described article database above.

FIGURE 13 describes the inventive method commencing at the point where the system presents the viewer the opportunity to interact with the video content. At 350, the set top box initiates an invitation inducing the display of the bug 221 overlaid on the video picture portrayed on the screen 220. This indicates to the viewer that the system is ready to respond to any of the viewer's requests for content. In the course of watching television, something the viewer sees in the video content on the screen evokes the viewer's interest, causing the viewer at 353 to initiate the process of interactive dialog with the inventive system. At 356 the system responds to the viewer by filling the screen with the mask portrayed in FIGURE 5 or a variant thereof based upon content selected by the producer. As indicated above, the preferred method of filling the screen is to draw a completed mask from the URL that is stored as a trigger imbedded in the video programming. An alternate embodiment of the invention allows for the composition of the mask based on codes imbedded in the video content.

At 359 the viewer selects from among the several buttons and billboards presented by any appropriate means, though a navigating remote control is the preferred embodiment. By a scrolling remote control the invention envisions the ability of the viewer by activating buttons on a remote control to move from one billboard to another and from one button to another, selecting or deselecting them as the viewer sees fit, and finally when the selections represent the viewer's choices to submit by activating the first of the two buttons portrayed at 234. Where the viewer desires all of the buttons and billboards to be selected, they simply activate the second of the two buttons.

Upon submission, at 365, the set top box 210 compiles the viewer's selections and assembles from those selections a selection packet. This the set top box 210 transmits, at 365, by means of the upstream communication link described above to the enhancement server 310 specifically to the selection server therein at 338. The selection server, at 368, to determine the program, the buttons, and the billboards selected at 371 the selections are passed to the e-Zine compiler 341 to build an e-Zine according to those selections. In the manner described in FIGURE 10, the e-Zine compiler, at 377 fills the e-Zine template with articles drawn from the e-Zine database. Appropriate billboards are filled in the compiler at 380. Requests from the URL allocator and server 344 a URL at which to store the completed e-Zine. At 383 the compiler stores the e-Zine at the URL on the server.

Once the e-Zine is stored at 383, the e-mail server 347 sends an e-mail containing a link to the URL through the Internet 125 to the consumer's e-mail box. As indicated above, the URL might be a personal uniform resource locator ensuring special behavior of the URL in response to the storing and recalling from that URL. At some later time the viewer reviews the e-mail contained in the e-mail box at 391 and selects the link that directs the viewer's Internet browser to the URL to recall the e-Zine stored there. At 391



the viewer browses the e-Zine and any links contained therein to further URL's on the Internet.

5 While the preferred embodiment of the invention has been illustrated and described, as noted above, many changes can be made without departing from the spirit and scope of the invention. For example, there might be additional means of requesting the e-magazine such as by means of the use of a telephone rather than a remote control unit and an ASTB. Accordingly, the scope of the invention is not limited by the disclosure of the preferred embodiment.

10

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2